



Price List 16-17



National Productivity & Innovation Award Winner

Power Cables:- Aluminium Conductor

W.E.F. 28th November 2016

V-Marc LT, XLPE / PVC Insulated (Heavy Duty) Armoured and Unarmoured Power Cables with Aluminium/Copper Conductor for working Voltage of 1.1 KV. Confirming to IS: 7098(Pt-1) / IS: 1554 (Pt-1), with latest amendment. Length per Meter.

Armoured Power Cables						Unarmoured Power Cables				
1 CORE Rs/Mtr	2 CORE Rs/ Mtr	3 CORE Rs/ Mtr	3.5 CORE Rs/ Mtr	4 CORE Rs/ Mtr	Size Sq. mm	1 CORE Rs/ Mtr	2 CORE Rs/ Mtr	3 CORE Rs/ Mtr	3.5 CORE Rs/ Mtr	4 CORE Rs/ Mtr
-	133	155	-	177	<u>4</u>	-	83	93	-	103
-	155	181	-	204	<u>6</u>	-	93	112	-	132
-	194	227	-	258	<u>10</u>	-	118	144	-	173
124	229	240	-	293	<u>16</u>	66	143	185	-	231
150	235	312	360	388	<u>25</u>	87	184	257	300	322
181	288	395	445	493	<u>35</u>	108	232	329	374	416
220	359	496	573	633	<u>50</u>	139	298	426	493	541
279	478	668	778	853	<u>70</u>	186	401	591	681	753
315	616	853	967	1066	<u>95</u>	240	537	751	869	964
379	734	1020	1207	1318	<u>120</u>	300	639	929	1092	1212
450	886	1257	1432	1606	<u>150</u>	365	779	1150	1316	1491
550	1102	1535	1782	1998	<u>185</u>	451	973	1430	1653	1855
675	1372	1966	2246	2549	<u>240</u>	565	1237	1827	2110	2373
821	1674	2376	2754	3100	<u>300</u>	691	1527	2248	2595	2930
1031	2106	3020	3502	3942	<u>400</u>	909	1958	2892	3348	3782
1349	2787	3905	4550	5106	<u>500</u>	1087	2463	3520	4067	4589
1712	3508	4950	5911	6608	<u>630</u>	1382	3108	4469	5286	5935
-	-	-	-	-	<u>800</u>	-	-	-	-	-
-	-	-	-	-	<u>1000</u>	-	-	-	-	-

Control Cables: - Copper Conductor

Armoured Cable (YWY / YFY)		
Cores	1.5 sq mm Rs/Mtr	2.5 sq mm Rs/Mtr
2	153	200
3	189	258
4	228	321
5	268	384
6	307	446
7	340	504
8	367	541
9	417	611
10	488	663
12	562	778
14	640	898
16	661	1011
19	767	1186
24	960	1486
27	1070	1653
30	1226	1907
37	1495	2324
44	1767	2773
52	2066	3246
61	2412	3779

Armoured Cable (YWY / YFY)				
No of Cores	4 sq mm Rs/Mtr	6sq mm Rs/Mtr	10 sq mm Rs/Mtr	16 sq mm Rs/Mtr
2	265	357	540	769
3	344	474	738	1045
4	437	610	951	1371

Armoured Cable (YWY / YFY)			
Size Sq. mm	3 CORE Rs/Mtr	3.5 CORE Rs/Mtr	4 CORE Rs/Mtr
25.0	1688	2031	2031
35.0	2325	2668	2668
50.0	3167	3703	3703
70.0	4496	5240	5240
95.0	6458	7545	-
120.0	8115	9668	-
150.0	10129	11683	-
185.0	12466	14572	-
240.0	16058	18719	-
300.0	19991	23319	-
400.0	26235	30339	-

Terms & Conditions: 1. Prices are on Ex-works Basis, 2.Excise Duty extra as applicable, 3. Sales Tax & Octroi & any other Govt. levies extra, 4. All disputes are subjects to HARIDWAR (U.K) Jurisdiction. 5. This cancels all our Previous Price List and it is subject to change without any prior notice.



National Productivity & Innovation Award Winner

Price List 16-17



V-Marc Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape (0.2ka for 1 sec), AL Flat Strip / Round Armoured And Overall PVC Sheathed Cable Confirming To IS 7098 / (PART-II) 2011 with latest Amendments.

Cable Size in Sq.mm	1 Core HT XLPE						W.E.F. 28 th November 2016			
	3.3 KV (E)		3.3 KV (UE)		6.6 KV (E)		6.6 KV (UE)		11 KV (E)	
	Al. Flat Strip Armoured	Al. Round Armoured	Al. Flat Strip Armoured	Al. Round Armoured	Al. Flat Strip Armoured	Al. Round Armoured	Al. Flat Strip Armoured	Al. Round Armoured	Al. Flat Strip Armoured	Al. Round Armoured
35	407	429	407	429	421	444	447	471	447	471
50	447	471	447	471	461	485	495	521	495	521
70	512	539	512	539	526	554	565	594	565	594
95	579	609	579	609	594	625	634	668	634	668
120	652	686	652	686	668	703	717	755	717	755
150	729	767	729	767	747	787	789	831	789	831
185	839	884	839	884	859	904	945	995	945	995
240	1059	1115	1059	1115	1081	1138	1189	1248	1189	1248
300	1228	1293	1228	1293	1261	1327	1390	1464	1390	1464
400	1471	1549	1471	1549	1529	1609	1662	1747	1662	1747
500	1787	1881	1787	1881	1873	1972	1939	2042	1939	2042
630	2215	2332	2215	2332	2253	2371	2314	2436	2314	2436
800	2744	2888	2744	2888	2768	2914	2808	2956	2808	2956
1000	3311	3485	3311	3485	3322	3497	3654	3846	3654	3846

V-Marc Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening With Extruded Semi Conducting Compound In Combination With Copper Tape (0.2ka for 1 sec/Core), Cores laid Up, Inner sheath Of PVC Tape, Galvanised Flat Steel Strip Armoured And Overall PVC Sheathed Cable Confirming To IS 7098 / (PART-II) 2011 With latest Amendments.

Size Sq. mm	3 CORE HT XLPE				W.E.F. 28 th November 2016	
	3.3 KV (E) Rs/Mtr	3.3 KV (U/E) Rs/Mtr	6.6 KV (E) Rs/Mtr	6.6 KV (U/E) Rs/Mtr	11 KV (E) Rs/Mtr	
<u>25</u>	757	757	-	-	-	
<u>35</u>	891	891	983	1081	1081	
<u>50</u>	1035	1035	1118	1224	1224	
<u>70</u>	1255	1255	1349	1455	1455	
<u>95</u>	1522	1522	1620	1738	1738	
<u>120</u>	1790	1790	1892	2005	2005	
<u>150</u>	2022	2022	2135	2238	2238	
<u>185</u>	2382	2382	2485	2604	2604	
<u>240</u>	2888	2888	3008	3125	3125	
<u>300</u>	3412	3412	3586	3637	3637	
<u>400</u>	4147	4147	4487	4567	4567	

Terms & Conditions: 1. Prices are on Ex-works Basis, 2.Excise Duty extra as applicable, 3. Sales Tax & Octroi & any other Govt. levies extra, 4. all disputes are subjects to **HARIDWAR (U.K)** Jurisdiction. 5. This cancels all our Previous Price List and it is subject to change without any prior notice.



National Productivity & Innovation Award Winner

Price List 16-17



FOR PRIVATE CIRCULATION ONLY

COPPER MULTISTRAND CABLE

W.E.F.2nd December, 2016

V-MARC PVC INSULATED UNSHEATHED FLEXIBLE DOMESTIC & INDUSTRIAL HV⁷ CABLE COPPER CONDUCTOR 650 / 1100 VOLTS GRADE Conf. TO IS: 694/1990 WITH LETEST AMENDMENT

S. No	SIZE (MM)	AREA (sq. mm)	Amp.	FR Rs. / Coil	FRLS Rs. / Coil	ZHFR Rs./Coil	Std. Packing 90 Mtr Coil	FR Project Packing (180 Mtr) Rs./Coil	UFFR Project Packing (200 Mtr) Rs./Coil
1	0.50	16/0.20	5	565	--	--			
2	0.75	24/0.20	8	780	805	865	28	1560	1735
3	1.00	14/0.30	13	990	1030	1115	20	1980	2200
4	1.50	22/0.30	17	1440	1560	1715	16	2880	3200
5	2.50	36/0.30	24	2300	2455	2735	12	4600	5110
6	4.00	56/0.30	30	3575	3885	4060	8	7150	7945
7	6.00	85/0.30	38	5225	5725	6040	6	10450	--
8	10.00	140/0.30	52	9810	10230	--	100 Mtr.	--	--
9	16.00	226/0.30	70	15345	--	--	100 Mtr.	--	--

THREE CORE FLAT SUBMERSIBLE CABLE

S. No.	SIZE (Sq mm)	CURRENT RATING (AMPS)	PVC BLACK RATE PER METER
1	1.00	-	43
2	1.50	16	62
3	2.50	22	88
4	4.00	29	132
5	6.00	37	186
6	10.0	42	308
7	16.0	57	512
8	25.0	71	777
9	35.0	91	1049
10	50.0	120	1562
11	70.0	-	2338

Packing: 1.50 to 6.00 Sqmm flat submersible cables are supplied in 100 / 500 Mtr & Above 6.00 Sqmm 100 / 300 Mtrs.

THREE CORE FLAT SUBMERSIBLE CABLE

S. No.	SIZE (Sq mm)	PVC BLUE RATES PER METER	XLPE BLUE / BLACK RATES PER METER.
1	1.5	63	70
2	2.5	95	98
3	4.0	140	146
4	6.0	200	210

Terms & Conditions: 1. The above rates are Ex-works, 2. Excise Duty extra as applicable 3. ST/VAT/CST& Octroi are as Applicable Extra, 4. Terms of payments are Cheque/ D.D. against delivery, 5. The above rates are subject to change without any pre notice. 6. NO risk is accepted for loss or damage in goods in transit, 7. All disputes will be settled in **Haridwar (U.K)** jurisdiction only, 8. This supersedes earlier price list.

Colour: V-MARC Cables are available in five colors of Red, black, blue, yellow & green only. Grey Colours on request.

Project Packing: Available in 180 Meter length in all Colours * **Non Std. Item: Please contact to Marketing Dept.**



National Productivity & Innovation Award Winner

Price List 16-17



FOR PRIVATE CIRCULATION ONLY

COPPER MULTICORE CABLE

W.E.F.2nd December, 2016

V-MARC FR PVC INSULATED SHEATHED ROUND FLEXIBLE INDUSTRIAL HV" CABLE COPPER CONDUCTOR 650 / 1100 V GRADE Conf. TO IS: 694/1990 WITH LATEST AMENDMENT.

S.No	SIZE (MM)	AREA (sq. mm)	SINGLE CORE Multistrand Wires RATE PER Mtr	TWO CORE RATE PER Mtr	THREE CORE RATE PER Mtr	FOUR CORE RATE PER Mtr
1	0.50	16/0.20	-	19	25	32
2	0.75	24/0.20	-	22	31	38
3	1.00	32/0.20	-	28	38	51
4	1.50	48/0.20	-	38	55	71
5	2.50	80/0.20	-	58	85	112
6	4	128/0.20	-	88	126	167
7	6	85/0.30	-	137	187	249
8	10	140/0.30	-	235	336	428
9	16	226/0.30	-	356	504	704
10	25	154/0.45	224	--	--	--
11	35	220/0.45	322	--	--	--
12	50	310/0.45	473	--	--	--
13	70	440/0.45	667	--	--	--
14	95	595/0.45	926	--	--	--
15	120	755/0.45	1202	--	--	--
16	150	945/0.45	1478	--	--	--
17	185	925/0.50	1784	--	--	--
18	240	1221/0.50	2396	--	--	--
19	300	1527/0.50	2957	--	--	--
20	400	2036/0.50	4080	--	--	--

Packing: Round Multicore Cables are supplied in 100 Mtr Coils.

V-MARC ROUND FLEXIBLE MULTICORE COPPER CONDUCTOR PVC INSULATED AND PVC SHEATHED GENERALLY CONF. IS : 694/90 PER METER.

S.No	No. of Core	0.50 mm ² 16/20	0.75 mm ² 24/20	1.00 mm ² 32/20	1.50 mm ² 30/.25	2.50 mm ² 50/.25
1	5 core	48	56	72	93	157
2	6 core	50	64	83	109	177
3	7 core	67	75	98	131	214
4	8 core	72	85	117	146	228
5	10 core	83	105	137	187	304
6	12 core	100	124	162	220	368
7	14 core	116	145	195	260	424
8	16 core	130	169	216	295	493
9	19 core	152	197	258	347	576
10	24 core	197	254	322	446	725

TERMS & CONDITIONS:

1. The above rates are Ex-works, 2. Excise Duty extra as applicable 3. ST/VAT/CST& Octroi are as applicable extra, 4. Terms of payments are Cheque/ D.D. against delivery, 5. The above rates are subject to change without any pre notice. 6. NO risk is accepted for loss or damage in goods in transit, 7. All disputes will be settled in Haridwar (U.K) jurisdiction only, 8. This supersedes earlier price list.



Price List 16-17



National Productivity & Innovation Award Winner

FOR PRIVATE CIRCULATION ONLY

ALUMINIUM CABLE

W.E.F.2nd December, 2016

V-MARC PVC INSULATED SHEATHED / UNSHEATHED CABLES ALUMINUM CONDUCTOR 650 / 1100V GRADE CONF TO IS; 694/1990 WITH LATEST AMENDMENT.

S. No.	SIZE (Sq mm)	Cond (mm)	Single Core (Unsheathed) Rs / Coil (92 Mtr)	Flat Twin (Sheathed) Black Rs / Meter
1	2.5	1/1.78	-	18
2	4.0	1/2.24	828	22
3	6.0	1/2.80	1215	35
4	10.0	1/3.57	1935	52
5	16.0	7/1.70	3440	76

Packing: Aluminum Twin flat 1.50 Sqmm to 6.00 Sqmm cables are supplied in 90 / 500 Mtr. & above 6.00 Sqmm in 90 / 300 Mtrs.

V-MARC PVC INSULATED SHEATHED CABLES ALUMINUM CONDUCTOR 650 / 1100 V GRADE CONF TO IS; 694/1990

S. No.	SIZE (Sq mm)	Solid Rs. / Meter (Packing 300/500)	Stranded Rs. / Meter (Packing 300/500)
1	4 sq. mm x 3 core	44	52
2	4 sq. mm x 4 core	49	-
3	6 sq. mm x 3 core	59	69
4	6 sq. mm x 4 core	73	-
5	10 sq. mm x 3 core	81	91
6	10 sq. mm x 4 core	106	-
7	16 sq. mm x 4 core	156	-
8	25 sq. mm x 4 core	226	-
9	35 sq. mm x 4 core	285	-

V-MARC TV ROUND CO AXIAL FOAM FLOODED JELLY CABLE

S. No.	Size (mm)	LENGTH IN MTR.	PRICE
1	RG – 6 (CCS)	305	4840
2	RG – 6 (Copper)	305	6720

V-MARC C.C T.V CAMERA WIRE CABLE

S. No.	DESCRIPTION	NO. OF CORES	Rates Per 90 Mtr. Coils.
1	C.C T.V Camera Wire	3 + 1	2260
2	C.C T.V Camera Wire	4 + 1	2580

V-MARC PVC INSULATED ROUND CABLE USED FOR CORDS

S. No.	SIZE	No. of Core	Rates Per 90 Mtr. COIL
1	23/0052	2	1225
2	23/0052	3	1647
3	40/0052	2	1912
4	40/0052	3	2697

V-MARC TELEPHONE CABLE & LAN CABLES

S. No.	SIZE	(0.41 mm) Rates	Length	SIZE	Rates	Length
1	1 PAIR	554	90 Mtr	CAT - 6	9138	305 Mtr
2	2 PAIR	844	90 Mtr			
3	3 PAIR	1280	90 Mtr			
4	4 TO 100 PAIR	404 (Per Pair)	--			

TERMS & CONDITONS:

1. The above rates are Ex-works, 2. Excise Duty extra as applicable 3. ST/VAT/CST& Octroi are as applicable extra, 4. Terms of payments are Cheque/ D.D. against delivery, 5. The above rates are subject to change without any pre notice. 6. NO risk is accepted for loss or damage in goods in transit, 7. All disputes will be settled in Haridwar (U.K) jurisdiction only, 8. This supersedes earlier price list.